Filed: November 4, 2003

Page 2

In the Claims:

1-36. (Canceled)

- 37. (Currently Amended) A nucleotide analogue which comprises:
 - (a) a base which is selected from the group consisting of an adenine, or an analogue of adenine, a cytosine, or an analogue of cytosine, a guanine, or an analogue of cytosine, a guanine, and a uracil, or an analogue of uracil;
 - (b) a unique label attached through a cleavable linker to the base or to an the analogue of the base;
 - (c) a deoxyribose; and
 - (d) a cleavable chemical group to cap an OH group at a -OR group at a 3'-position of the deoxyribose, wherein R is -CH₂OCH₃ or -CH₂CH=CH₂; and
 - (e) a triphosphate group.
- 38. (Cancelled).
- 39. (Original) The nucleotide analogue of claim 37, wherein the unique label is a fluorescent moiety or a fluorescent semiconductor crystal.
- 40. (Currently Amended) The nucleotide analogue of claim 39, wherein the fluorescent moiety is selected from the group consisting of 5-carboxyfluorescein, 6-carboxyrhodamine-6G, N,N,N',N'-tetramethyl-6-carboxyrhodamine, or and 6-carboxy-X-rhodamine.
- 41. (Withdrawn) The nucleotide analogue of claim 37, wherein the unique label is a fluorescence energy transfer tag which comprises an energy transfer donor and an energy transfer acceptor.
- 42. (Withdrawn) The nucleotide analogue of claim 41, wherein the

Filed: November 4, 2003

Page 3

energy transfer donor is 5-carboxyfluorescein or cyanine, and wherein the energy transfer acceptor is selected from the group consisting of dichlorocarboxyfluorescein, dichloro-6-carboxyrhodamine-6G, dichloro-N,N,N',N'-tetramethyl-6-carboxyrhodamine, and dichloro-6-carboxy-X-rhodamine.

- 43. (Withdrawn) The nucleotide analogue of claim 37, wherein the unique label is a mass tag that can be detected and differentiated by a mass spectrometer.
- 44. (Withdrawn Currently Amended) The nucleotide analogue of claim 43, wherein the mass tag is selected from the group consisting of a 2-nitro- α -methyl-benzyl group, a 2-nitro- α -methyl-3-fluorobenzyl group, a 2-nitro- α -methyl-3,4-difluorobenzyl group, and or a 2-nitro- α -methyl-3,4-dimethoxybenzyl group.
- 45. (Original) The nucleotide analogue of claim 37, wherein the unique label is attached through a cleavable linker to a 5-position of cytosine or thymine or to a 7-position of deaza-adenine or deaza-guanine.
- 46. (Currently Amended) The nucleotide analogue of claim 37, wherein the <u>cleavable</u> linker between the unique label and the nucleotide analogue is cleavable by a means selected from the group consisting of one or more of a physical means, a chemical means, a physical chemical means, heat, and or light.
- 47. (Original) The nucleotide analogue of claim 46, wherein the cleavable linker is a photocleavable linker which comprises a 2-nitrobenzyl moiety.
- 48. (Cancelled).
- 49. (Currently Amended) The nucleotide analogue of claim 37, wherein the nucleotide analogue is selected from the group consisting of

Filed: November 4, 2003

Page 4

has the structure:

$$\begin{array}{c|c} & & & & \\ & &$$

and <u>or</u>

Filed: November 4, 2003

Page 5

wherein Dye1, Dye2, Dye3, and Dye4 are four different dye labels; and wherein R is $\frac{-CH_2OCH_3}{}$ or $\frac{-CH_2CH=CH_2}{}$ a cleavable chemical group used to cap the OH group at the 3' position of the deoxyribose.

50. (Currently Amended) The nucleotide analogue of claim 49, wherein the nucleotide analogue has the structure is selected from the group consisting of:

$$\begin{array}{c|c} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\$$

Filed: November 4, 2003

Page 6

wherein R is -CH₂OCH₃ or -CH₂CH=CH₂.

51. (Withdrawn - Currently Amended) The nucleotide analogue of claim 37, wherein the nucleotide analogue is selected from the group consisting of has the structure:

Applicants: Jingyue Ju et al. U.S. Serial No.: 10/702,203 Filed: November 4, 2003

Page 7

and

Filed: November 4, 2003

Page 8

or

wherein Tag1, Tag2, Tag3, and Tag4 are four different mass tag labels; and wherein R is $\frac{-\text{CH}_2\text{OCH}_3}{\text{or}}$ or $\frac{-\text{CH}_2\text{CH}=\text{CH}_2}{\text{chemical group used to cap the OH group at the 3' position of the deoxyribose}}.$

52. (Withdrawn - Currently Amended) The nucleotide analogue of claim 51, wherein the nucleotide analogue is selected from the group consisting of has the structure:

Filed: November 4, 2003

Page 9

and or

Filed: November 4, 2003

Page 10

wherein R is -CH₂OCH₃ or -CH₂CH=CH₂.

53-60. (Cancelled)

61. (New) A nucleotide analogue which comprises:

- (a) a base which is an adenine, an analogue of adenine, a cytosine, an analogue of cytosine, a guanine, an analogue of guanine, a thymine, an analogue of thymine, a uracil, or analogue of uracil;
- (b) a unique label attached through a cleavable linker to the base or to the analogue of the base;
- (c) a deoxyribose;
- (d) a -OR group at a 3'-position of the deoxyribose, wherein R is a cleavable chemical group; and
- (e) a triphosphate group,

wherein the nucleotide analogue has the structure:

Filed: November 4, 2003

Page 11

or

wherein Dye_1 , Dye_2 , Dye_3 , and Dye_4 are four different dye labels.

62. (New) The nucleotide analogue of claim 61, wherein the cleavable chemical group is cleavable by one or more of a

Filed: November 4, 2003

Page 12

physical means, a chemical means, a physical chemical means, heat, or light.

- 63. (New) The nucleotide analogue of claim 61, wherein the dye is 5-carboxyfluorescein, 6-carboxyrhodamine-6G, N,N,N',N'-tetramethyl-6-carboxyrhodamine, or 6-carboxy-X-rhodamine.
- 64. (New) The nucleotide analogue of claim 61, wherein R is CH_2OCH_3 or $-CH_2CH=CH_2$.